



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2013 - December 31, 2013

Filing Confirmation Number: 0006098055

Filing Deadline: January 15, 2014

FRN: 0001634443

Filing Date: 01/13/2014 04:51 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Cable & Communications Corporation

Brand Names: Mid-Rivers Wireless
Mid-Rivers Cellular

PO Box: 280

Street Address: 904 C Avenue

City: Circle

State: MT

Zip Code: 59215

Contact Name: Angie Beery

Contact Phone: (406) 485-3301

Contact Fax: (406) 485-2924

Contact Email: angie.beery@midrivers.coop

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? Yes

Agent Name: Communications Advisory Counsel LLC
PO Box:
Street Address: 5151 Wisconsin Avenue NW Suite 311
City: Washington
State: DC
Zip Code: 20016

Contact Name: Sylvia Lesse
Contact Phone: (202) 333-5273
Contact Fax: (202) 333-5274
Contact Email: Sylvia@Independent-tel.com

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations? Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://www.midrivers.com/hearing-aid-compatibility/>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Mid-Rivers Wireless hearing aid compatibility information sheet is available at each retail outlet and is reviewed regularly to ensure continuing accuracy. Mid-Rivers continues the practice of including HAC information in customer invoices periodically, and maintains signs in each retail location encouraging customers and prospective customers to ask a sales representative about HAC issues.

Information regarding hearing aid compatibility is also available on the Company's web site.

Methodology for Functionality Levels

Mid-Rivers Wireless assigns each compliant handset a level of functionality based upon the company's assessment of two factors: price and operating features. Lower priced handsets with fundamental capabilities are defined as "Basic". More advance functions or functionality, such as availability of a better quality camera or enhanced memory, together with a higher price, results in classifying a handset as "Intermediate". More expensive phones with the availability of Wireless Internet or Wi-Fi capability or an operations system that supports advanced applications are classified as "Advanced". Mid-Rivers Wireless attempts to maintain a full selection of compliant handsets across all levels of functionality but may, from time to time, be unable to meet that goal due to limitations in the availability of handsets from suppliers.

Report Remarks

You have reported the following handset model summary information.
Total number of handsets offered: 12

| Air Interface | Fully Hearing Aid Compatible Number Percent | | Acoustic Coupling Compatible Only Number Percent | | Non-Compliant Handsets Number Percent | Excluded Handsets Number | Total by Air Interface |
|---------------|--|------|---|--|--|-----------------------------|------------------------|
| CDMA | 12 | 100% | | | | | 12 |

Handset 1: HTC 6225 Wildfire

Handset Maker

HTC

| Handset Model Name | FCC ID |
|--------------------|------------|
| 6225 Wildfire | NM8PD06100 |
| Wildfire | NM8PD06100 |
| Wildfire 6225 | NM8PD06100 |

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/11 to 06/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 2: LG AN430

Handset Maker

LG

Handset Model Name

FCC ID

| | |
|-----------------|----------|
| AN430 | BEJUN430 |
| AN430 Wine II | BEJUN430 |
| Wine II | BEJUN430 |
| Wine II AN430 | BEJUN430 |
| Wine II Refresh | BEJUN430 |

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/10 to 04/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 3: LG Optimus Plus

Handset Maker

LG

Handset Model Name

FCC ID

Optimus Plus

ZNFAS695

Optimus Plus (AS695)

ZNFAS695

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 10/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 4: Motorola Defy

Handset Maker

Motorola

Handset Model Name

FCC ID

Defy

IHDT56NC2

Defy XT556

IHDT56NC2

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 04/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 5: Motorola Milestone 3

Handset Maker

Motorola

Handset Model Name

FCC ID

Milestone 3

IHDT56MF1

Milestone 3 XT861

IHDT56MF1

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 11/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 6: Motorola Quantico

Handset Maker

Motorola

Handset Model Name

FCC ID

Quantic

IHDT56KS1

Quantico W845
W845
W845 Quantico

IHDT56KS1
IHDT56KS1
IHDT56KS1

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 02/10 to 08/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Intermediate

Remarks

Handset 7: Motorola Razr MAXX

Handset Maker

Motorola

| Handset Model Name | FCC ID |
|--------------------|--------|
|--------------------|--------|

| | |
|--------------------|-----------|
| Razr MAXX | IHDP56ME1 |
| Razr Maxx XT908 | IHDP56ME1 |
| RAZR MAXX XT908LRA | IHDP56ME1 |
| XT908 RAZR MAXX | IHDP56ME1 |

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 03/13 to 11/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 8: Samsung Admire

Handset Maker

Samsung

Handset Model Name

FCC ID

| | |
|-------------|------------|
| Admire | A3LSCHR720 |
| Admire R720 | A3LSCHR720 |
| R720 Admire | A3LSCHR720 |

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 02/12 to 02/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 9: Samsung Chrono 2

Handset Maker

Samsung

Handset Model Name

FCC ID

| | |
|---------------|------------|
| Chrono 2 | A3LSCHR270 |
| Chrono 2 R270 | A3LSCHR270 |
| R270 Chrono 2 | A3LSCHR270 |

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 10: Samsung CHRONO

Handset Maker

Samsung

Handset Model Name

FCC ID

| | |
|-------------|------------|
| CHRONO | A3LSCHR261 |
| Chrono R261 | A3LSCHR261 |
| R261 Chrono | A3LSCHR261 |

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 03/12 to 07/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 11: Samsung Character

Handset Maker

Samsung

Handset Model Name

FCC ID

| | |
|----------------|------------|
| Character | A3LSCHR640 |
| Character R640 | A3LSCHR640 |
| R640 Character | A3LSCHR640 |

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 12/11 to 10/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Intermediate

Remarks

Handset 12: Samsung Messenger

Handset Maker

Samsung

Handset Model Name

FCC ID

| | |
|----------------------|------------|
| Messenger | A3LSCHR631 |
| Messenger Touch | A3LSCHR631 |
| Messenger Touch R631 | A3LSCHR631 |
| R631 Messenger | A3LSCHR631 |
| R631 Messenger Touch | A3LSCHR631 |
| SCH-R631 | A3LSCHR631 |

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/10 to 04/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Intermediate

Remarks

Certification

This Report has been certified by:

Bill Wade General Manager
01/13/2014 04:51 PM